Newcastle-under-Lyme RURAL DISTRICT COUNCIL.



Annual Report

OF THE

MEDICAL OFFICER OF HEALTH

For the Year 1908.



NEWCASTLE:

MANDLEY AND UNETT, PRINTERS, HIGH STREET.

Digitized by the Internet Archive in 2018 with funding from Wellcome Library

Newcastle-under-Lyme

RURAL DISTRICT COUNCIL.

ANNUAL REPORT of the MEDICAL OFFICER of HEALTH
for the year 1908.

NEWCASTLE-UNDER-LYME,

FEBRUARY 9th, 1909.

GENTLEMEN,

I have the honour to present to you my Annual Report on the Sanitary condition of the Newcastle-under-Lyme Rural District with Vital Statistics for the year 1908.

BIRTHS.

The total number of births registered in the district was 164—80 males and 84 females, equal to an annual birth-rate of 23.57 per 1000 of the population.

These births were distributed as follows:—

				TD.	1.4.6	Estimated Population to	
				1901.	opulation 1891.	$\stackrel{ ext{middle of}}{ ext{1908}}$.	Increase
7) 1. 1		3.6.1					
Balterley	1	Males	17	253	273	271	18
Betley		Females	15	837	827	889	52
•	`						
			32				
			02				
Chorlton	- (Males	9	387	373	399	12
Maer	- }			436	389	4 50	14
Whitmore		Females	6	308	318	337	29
W III OII OI C	(1 cmarcs	O	300	910	001	20
			15				
Clayton	1	Males	54	269	304	291	22
	1	maies	OT				
Keele	{			1114	1090	1166	52
Madeley		Females	63	2909	2904	3154	245
v	•						
		1	117			Increas	e 444
		_					T.L.L

As there were 75 deaths, the natural increase of the population was 89 persons for the year 1908.

For the year 1907, the increase in the population was 73.

DEATHS.

The total number of deaths registered in the district was 75. This gives the death-rate of 10.78 per 1000 of the population.

From the accompanying table it will be seen that the maximum death-rate (25.06) was at Chorlton, while the lowest (nil) was at Balterley.

In 1907 the highest death-rate (17.03) was at Betley, while the lowest (nil) was at Clayton.

Deaths, according to age:

011118	10 48	•		
Unde	er 1 ye	ear		16
1 a	nd und	der 5		7
5	, ,	15		4
15	,,	25	• • •	3
25	,,	65		17
65 a	nd up	wards	• • •	28
				-
			Total	75

In 1907 the deaths, according to age, were as follows:—

,	0 /	
Under 1 year	• • •	12
1 and under 5	• • •	5
5 ,, 15	• • •	2
15 ,, 25	• • •	4
25 ,, 6 5	• • •	26
65 and upwards	• • •	26
_	2	
	Total	7.5

The death-rate for the various parishes bears the following relation to the population:—

oo one pe	Burau	TOIL .				
*		Population Census, 1901.	Estimated Population to middle of 1908.	Number of Deaths.	Death-rate 1 1908.	per 1000 for 1907.
Balterley		253	271		• • •	14.98
Betley		837	889	12	13.49	17.03
Chorlton	• • •	387	399	10	25.06	15.03
Maer		436	450	4	8.88	8.93
Whitmon	e	308	337	3	8.91	6.04
Clayton		269	291	3	10.31	• • •
Keele		1114	1166	13	11.15	12.95
Madeley	• • •	2909	3154	30	9.5	9.3
v			-			
	Total	6513	6957	75 A v	age 10.79	10.53

Inquests were held in 1908 on five persons, and the following verdicts were given:—

- 4. Madeley ... (i.) Scalds.
 - (ii.) Inflammation of the lungs.
 - (iii.) Natural causes, heart disease.
 - (iv.) Fracture of skull through accidental fall from railway train.
- 1. Clayton ... (i.) Hæmorrhage of brain from fracture of skull, from being knocked down by a bicycle through an accident.

There were three inquests held in 1907, and the Coroner's Juries attributed the deaths to the following causes:—

- 1. Keele ... Convulsions.
- 2. Madeley ... (i.) Accidentally crushed between wagon and roof in coal pit at Leycett.
 - (ii.) Accidental dislocation of neck through being struck by runaway tubs in coal mine at Leycett.

Infantile Mortality.—The deaths under one year in 1908 were 16, equal to a mortality of 97.56 per 1000 registered births.

Betley, 3; Chorlton, 1; Whitmore, 1; Keele, 1; and Madeley, 10.

		, 0110110011, 11, 11, 11, 11, 11, 11, 11	010,	<u> </u>	
I_{11}	1907	the deaths numbered	75,	the death-rate was	10.89
	1906	,,	72	, ,	10.54
	1905	,,	84	,,	12.38
	1904	,,	82	,,	12.20
	1903	, ,	81	, ,	12.17
	1902	, ,	89	, ,	13.49
	1901	, ,	99	, ,	15.16
	1900	, ,	94	, ,	13.04
	1899	, ,	81	,,	11.29
	1898	,,	78	"	11.01
	1897	,,	98	, ,	14.06
	1896	,,	98	,,	14.19
	1895	٠,	88	, ,	13.38
	1894	,, 1	00	, ,	15.48
	1893	,,	113	, ,	17.75
	1892	,,	111	, ,	17.79
	1891		78		12.60

These figures are calculated on the estimated population in the middle of each year.

INFECTIOUS DISEASES NOTIFICATION ACT, 1889.

During the year 1908 there have been notified to me 46 infectious cases, compared with 14 cases in the previous year:—

Scarlet Fever	• • •	• • •	40
Erysipelas	• • •	• • •	1
Diphtheria	• • •	• • •	2
Enteric Fever	• • •	• • •	2
Puerperal Fever	• • •	• • •	1

Erysipelas. --Only one case was reported during the year 1908, in the Parish of Madeley, and this case soon recovered.

Diphtheria.—There were two cases notified—one case in Keele and the other at Silverdale, the house being situated in the Parish of Keele. Both cases recovered.

Puerperal Fever. — One case was reported from that part of Silverdale which is in the Parish of Keele. The patient was extremely ill for a long time, and had several complications, but she eventually recovered. The medical man in attendance on the patient put down the cause to the neglect and filthy habits of the parents, and after visiting the house several times I came to the same conclusion.

Enteric Fever.—There were two cases during the year—one at Blackbrook and the other at Silverdale. The latter case was removed to the North Staffordshire Infirmary where the patient died. In neither of the cases was a cause found, both the drains and the water supply being satisfactory.

Scarlet Fever.—During the year 40 cases were notified, as compared with 9 cases in the previous year. They were distributed as follows:—

Leycett		***	1
Maer Heath	• • •	• • •	1
Onneley			2
Balterley	• • •	• • •	3
Betley		• • •	33

All the houses were visited and disinfectants supplied.

Four cases were removed to Bradwell Sanitorium, as the means of isolation were deemed insufficient—one from Balterley and three from Betley.

Of the 33 cases reported, one case died—a young man aged 33 years. Most of the cases in Betley occurred in or near Brassington

Street, the houses being kept in a very dirty and slovenly way by the occupants. Fresh cases of Scarlet Fever kept occurring from time to time, and it was thought advisable to close the school, which was done. The school-house was now thoroughly whitewashed and disinfected, and the offices outside were done at the same time. As cases kept continually appearing, the school was not re-opened until 28th September. Cases of Scarlet Fever were again notified, and as they were traced to infection from Brassington Street, it was thought advisable to prohibit the children from that quarter from attending school, this was done, and the Scarlet Fever soon almost disappeared, a few cases appearing in houses in which children lived who had had the disease earlier in the year.

During the year 1908, the following Schools were closed:—
Maer, March 24th, on account of Influenza.
Clayton, April 7th ,, ,, Measles.
Betley, July 13th ,, ,, Scarlet Fever.

Cases of Chickenpox occurred in the district during the year, but as the cases were fairly few in number, it was not necessary to close any of the Schools. The most cases occurred at Leycett.

During the year the district has been inspected several times, independently of the Notification of Infectious Diseases.

The Vaccination Act, 1898, continues to work, but parents are now getting exemption certificates, and fewer children were vaccinated in 1908 than in 1907, and in a short time, when the knowledge that it is not legally necessary to have their children vaccinated becomes more widely known, parents with very few exceptions will obtain the necessary certificates.

There was no case of Smallpox in the district during the year.

SANITARY WORK.

In the year 1907, no Sanitary report was available, as the Inspector absconded and apparently kept no record of his work.

This year, 1908, a good deal of Sanitary work has been done, due to the unfailing energy of the new Sanitary Inspector, as will be observed by the appended report. The district now is in a highly satisfactory condition.

There has been one prosecution and conviction obtained for overcrowding during the past year.

21 privies have been abolished and water closets substituted in 9 cases where the water carriage system existed, and pails in 9 cases, with benefit to the inhabitants. 30 dustbins have also been substituted for ashpits.

FACTORIES AND WORKSHOPS ACT, 1901.

The total number of Workshops in the district is 24, distributed as follows:—

Betley	• • •	• • •	11
Madeley	• • •		7
Keele	• • •	• • •	3
Whitmore	• • •	• • •	2
Maer	• • •	• • •	1

All these have been periodically visited and inspected and found to be in a sanitary and satisfactory condition.

During the year 1908, one new house has been erected in the district. Many nuisances, such as foul conditions, structural defects, defective traps and overcrowding, were inspected and reported on during the year. Instructions have been given for their abatement, which have been carried out.

I have the honour to remain,

Your obedient Servant,

T. H. P. MORRIS.

Table 1.

Newcastle-under-Lyme Rural District. (For whole district.)

	on esti- middle year.	Birth			inder one of age.	Deaths a	at all ages	of ss eyond		t Deaths
Year.	Population estimated to middle of each year.	Number.	Rate.*	Number.	Rate per 1000 birtlis registered.	Number.	Rate.*	Deaths of residents registered beyond district.	Number.	Rate.*
1898	7079	175	24.72	24	137.14	78	11.01		78	11.01
1899	7171	170	23.70	16	94.11	81	11.29		81	11.29
1900	7205	186	28.81	15	80.64	92	12.76	2	94	13.04
1901	65 30	190	29.09	25	131.57	99	15.16		99	15.16
1902	6594	192	29.11	25	130.20	89	13.49		89	13.49
1903	6661	173	25.97	22	127.16	81	12.16		81	12.16
1904	6721	175	26.03	20	114.28	82	12.20		82	12.20
1905	6784	147	21.67	19	$129 \cdot 25$	83	12.24	1	84	12.38
1906	6828	175	25.64	19	108.51	72	10.54		72	10.54
1907	6885	148	21.50	12	81.08	75	10.89		75	10.89
			Averag	es for	years 18	9819	07.			
	6846	173	2 5·6 2	20	113.39	83	12.17		83	12.21
1908	6957	164	23.57	16	97.56	75	10.78	1	7 6	10.92

^{*} Rates in Columns 4, 8, and 11 calculated per 1000 of estimated population.

Area of District in acres (exclusive of area covered by water) 19,597.

Total population at all ages 6,513. Number of inhabited houses 1335. Average number of persons per house 4.87. (At Census of 1901.)

Institutions outside the District receiving sick and infirm persons from the District—North Staffordshire Infirmary.

TABLE 2. NEWCASTLE-UNDER-LYME RURAL DISTRICT.

		,		,		Choriton	2 Naer and	1	Whitmore	Claxton	3	and Madelev	المام
Localities.		Balterley and Betley Parishes	and Be	tley Par	ishes					1103 CDT)	Paris	.	(210
Хеаг.	Population esti- -itse noiteludol -itse noiteludol	of each year.	Births regis- tered.	Deaths at all ages.	Deaths under Lycar.	Population estining to middle of each year.	Births regis-	Deaths at all ages.	Deaths under	Population esting an instead to middle of each year.	Births regis- tered.	Deaths at all ages.	Deaths under 1 year.
898	1182		18	6	1	1136	30	15	4	4761	127	54	19
6681	1190		97	11	ಣ	1148	22	10	ı	4833	122	09	13
1900	1199		34	13	ଟୀ	1157	27	10	ତା	4849	125	71	11
1061	1094		31	15	5	1135	30	16	4	4301	129	89	19
1905	1103		56	15	4	1145	23	16	7	4346	140	58	17
1903	1114		90	10	73	1152	23	10	7	4395	120	61	18
1904	. 1129		56	1	П	1157	22	13	7	4435	127	65	17
1905	. 1136		19	13	က	1165	15	6	l	4483	113	65	16
9061	1144		32	15	9	1168	16	12		4516	127	45	12
1907	1148		19	19	ಣ	1178	13	12	present	4559	116	44	∞
Averages of years 1898 to 1907.	1144		56	13	ලෙ	1154	22	12	61	4548	125	55	15
1908	1160		32	12	ල	1186	15	17	2	4611	117	46	11

TABLE 3. NEWCASTLE-UNDER-LYME RURAL DISTRICT.

Cases of Infectious Diseases Notified during the year 1908.

No. of cases removed to Hospital from each Locality.	Anderey Sulferley Belley		:	:	3			4
	Madeley	7	•	71	9.0	:	•	4
	Keele	9	23	:	•			4
tified in ity.	Clayton	70	:	•	0 0 0	•	•	•
Total cases Notified in each Locality.	өлогизід М	₹	•	:	•	•	•	:
lotal ca	Маек	ေ	•	:			•	22
	Спотион	3	•	:	•		•	•
	Balterley & Betley	. —		•	36	:	:	36
ot	bns 38 sbrswqu		:	•	:	_	:	
Distric	39 ot 32		•		2		•	4
otified in Whole At Ages—Years	82 of 81		•	:	ű	•	-	9
led in Ages-	čI ot d		22	•	19	•	:	21
Cases Notified in Whole District At Ages—Years	g of f		•	•	14	•	•	14
	Under 1		9	•	•	•	•	•
seases.	t all ages.	V	67		0+	7	ver 1	46
ole Dis			eria	las	Fever	Fever	ral Fe	:
Notifiable Diseases.			Diphtheria	Erysipelas	Scarlet Fever	Enteric Fever	Puerperal Fever	Totals

Isolation Hospital--Bradwell Sanatorium.

TABLE 4. NEWCASTLE-UNDER-LYME RURAL DISTRICT. Causes of, and Ages at Death, during Year 1908.

Scarlet Fever	Causes of Death.	Deat	Deaths in whole District at subjoined Ages.	hole Di	istrict a	at subj	oined A	ges.		Deaths in		Localities	at all	Ages.	1
ever 1		All Ages	Under 1	l snd	bas č di rebau			65 and ebrards	Balterley & Betley	Chorlton	Maer	oromitidV	Clayton	Keele	Madeley
Perer S. Cough	1	©?	3	4	يو.	9	£-	œ	H co	10	11	12	13	14	15
Fulmonary Tuberculosis) 2	et Fever	queed	:	:	:	:	* 4	•	_	:		*	:		:
Pulmonary Tuberculosis) 2 2 1 3 1 2 1 3 1 .	ping Cough		:		:	:	:	:	:	:		:	•	:	
Pulmonary Tuberculosis) 2 2 2 1 3 1 2 1 3 1 .		2	2	•	:	:	:	:	•	:	•	*	•	•	ा
s	sis (Pulmonary Tuberculosis)	2	:	:	•	:	67	:		•	67	•	;		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	r, malignant disease	4	•	:		:	-	3	-	:	:	•	:	:	9
ia 3 2 1 1 2	hitis		4	67		graved	:	4		-	•	***************************************	•	ಣ	70
e Birth 3 3 7	nonia	က	:	:	2	:		:				:	:		2
è Accidents of Parturition 6 6 1 1 5 4 .1 4 1 2 seases	•	က	ಣ	:	:	:	:		Ç1	•	•		•		-
Seases 11 1 1 1 5 4 1 4 1 2 1 2 1 2 1 2	ses & Accidents of Parturition	9	9	•						:	:	•	:	-	10
causes 75 16 7 4 3 17 28 12 10 4 3 3 1	Diseases	11				:	5	4		4		:	23	provid	2
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	ents	+	:	_			හ	:	:	:	:				ಣ
\cdots \cdots 75 16 7 4 3 17 28 12 10 4 3 3 1	•	27		ಣ	-	2	4	17	5	õ	-	2	:	∞	9
	ll causes	75	16	2	4	ಣ		28	12	10	.4	ಣ	က	60	30

TABLE 5. NEWCASTLE-UNDER-LYME RURAL DISTRICT.

Infantile Mortality during the year 1908.

Total Deaths under One Vear.	d	.7	ಣ	9		4	16	
								16
.sdrnoM &f-If		:		٠				nts 6957.
10-11 Months.						•		infan 6
.sdtnoM 01-9		•	,	•	:		•	nate 908
.sulmoM 6-8			:		:	:		Deaths in year, legitimate infants Population, estimated to middle of 1908 695
satmoM 8-7		:	:	٠	:	:		ar, le niddle
e-7 Months.		•	•	:	•	П		in ye to m
5-6 Months.		:	:	•	•	•	:	aths
4-5 Months.		•	:	•	:			Des
8-4 Months.		:	•	:	:	:		on, 6
2-3 Months.			:		:		64	ulati
1-2 Months.			:	:	:	23	က	Pop
Total under I Month.		•	က	9	П	:	10	
8-4 Weeks		•	:					
2.3 Weeks			:	2	4.	•	67	75.
1-2 Weeks.				•	•	•	-	30
Under l Week.		:	21	9	1		9	164. Il age
				•	•	,		in the year, legitimate 164. Deaths from all causes at all ages
TH.		•	:	Atrophy, Debility, Marasmus	:	•	•	Births in the year, legitimate Deaths from all causes
DEA				Iara			•	ar, l
CAUSES OF DEATH.		Diarrhoea, all forms	-4	by, A				e ye
AUSE		.11 fc	Premature Birth	bilid	:	:		n th
Ο.		3a, a	ire I	, De	ions	tis		ths i
		$\operatorname{crh}\alpha$	natı	phy	Jonvulsions	Bronchitis	138	Bir
		Dia	Pre	Atro	Con	Bro	Potals	

Table 6.

SUMMARY of SANITARY WORK done in the Nuisance Inspector's Department during the year 1908, in the Rural District of Newcastle.

		Number of		Abatement Notices.		Nuisances abated after Notice by	
	Inspections and Observations made	Defects	Informal by Inspector	Formal by Authority	Inspector	Authority.	
Foul Conditions Structural Defects Overcrowding Unfit for Habitation Lodging Houses Dairies and Milkshops Cowsheds Bakehouses Slaughter-houses Canal Boats Ashpits and Privies Deposits of Refuse and Manure Water Closets No Disconnection Other Faults Water Supply Pigsties Animals improperly kept Offensive Trades Smoke Nuisances Other Nuisances	646 } 76 	42 12 4 1 6 56 4 12 13 6 	28 4 2 2 8 4 12 4	14 8 2 1 6 48 	28 4 2 2 8 4 12 4 	13 8 2 6 44 13 2 	
,, of Water tak	n for And Adult en for Ademned t Infected or I us Disea	nalysis berated Analysis as unfi ctious Destroy ase	Disea	ase. 	64	34 3	
Convictions ditto Prosecutions for Exposure of Inf Convictions ditto		ersons o	ditto or Thing litto	gs	• • •		



